UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/589,974	08/18/2006	Kazuhito Niwano	295156US2PCT	2197
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, L.L.P. 1940 DUKE STREET			EXAMINER	
			LEBASSI, AMANUEL	
ALEXANDRIA	DRIA, VA 22314		ART UNIT	PAPER NUMBER
			2617	
			NOTIFICATION DATE	DELIVERY MODE
			01/25/2011	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

	Application No.	Applicant(s)	
	10/589,974	NIWANO, KAZUHITO	
Office Action Summary	Examiner	Art Unit	
	AMANUEL LEBASSI	2617	
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet wit	n the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING Description of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC .136(a). In no event, however, may a re- I will apply and will expire SIX (6) MONT te, cause the application to become ABA	ATION. bly be timely filed HS from the mailing date of this communication. NDONED (35 U.S.C. § 133).	
Status			
Responsive to communication(s) filed on <u>26 (</u> This action is FINAL . 2b) ☐ Thi Since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matte	·	
Disposition of Claims			
4) ☑ Claim(s) 1-14 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☑ Claim(s) 1-14 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/a	awn from consideration.		
Application Papers			
9) The specification is objected to by the Examin 10) The drawing(s) filed on 26 October 2010 is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the	e: a) \square accepted or b) \square obe drawing(s) be held in abeyand ction is required if the drawing(s	e. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat* * See the attached detailed Office action for a list	nts have been received. Its have been received in Appority documents have been read (PCT Rule 17.2(a)).	plication No eceived in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)	ımmary (PTO-413) /Mail Date	
Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Inf 6) Other:	ormal Patent Application -	

Art Unit: 2617

DETAILED ACTION

Response to Arguments

- 1. Applicant's arguments filed 10/26/2010 have been fully considered but they are not persuasive.
- 2. The applicant argued features in the claims, i.e. a mobile station comprising: a transmit buffer for storing data about a plurality of communication services on a communication-service-by-communication-service basis or on a transmit-channel-by-transmit-channel basis; an amount-of-data information determining means for monitoring the data which are stored in said transmit buffer on a communication-service-by-communication-service basis or on a transmit-channel-by-transmit-channel basis so as to determine communication-service- by-communication-service or transmit-channel-by-transmit-channel amount-of-data information; and a transmitting means for transmitting the communication-service-by- communication-service or transmit-channel-by-transmit-channel amount-of-data information determined by said amount-of-data information determining means to a base station reads upon Hwang in view of Rydnell, as follows.

Hwang is discussing where the mobile station 1 includes a transmit buffer lb for temporarily storing transmit data according to the requested radio data service.

Therefore, Hwang is showing the limitation of "a mobile station comprising: a transmit buffer for storing data about a plurality of communication services on a communication-service-by-communication-service basis or on a transmit-

Application/Control Number: 10/589,974

Art Unit: 2617

channel-by- transmit-channel basis ". Hwang discusses where the transmit buffer is examined. Therefore, Hwang is showing the limitation of "an amount-of-data information determining means for examining the data which are stored in said transmit buffer on a communication-service-by-communication-service basis or on a transmit-channel-by-transmit-channel basis so as to determine communication-service- by-communication-service or transmit-channel-by-transmit-channel amount-of-data information." Hwang discusses where a transmitter transmits the amount-of-data to the radio service (Base Station). Therefore, Hwang is showing the limitation of "a transmitting means for transmitting the communication-service-by- communication-service or transmit-channel-by-transmit-channel amount-of-data information determined by said amount-of-data information determined by said amount-of-data information determined by said amount-of-data

Page 3

Hwang showed an amount-of-data information determining means for examining the data however did not show an amount-of-data information determining means for monitoring the data which are stored in said transmit buffer. As a result Rydnell was used to show where the downlink data is monitored.

Regarding the applicants arguments on dependent claims limitations, those limitation where shown by Hwang in view of Rydnell where Rydnell shows where the data is digitally transmitted therefore binary.

Regarding the applicants arguments on combination of references, all references were analogous and performing similar tasks and therefore are combinable.

Art Unit: 2617

Regarding the applicants argument on motivation, the motivation to combine was shown in the background of the secondary reference.

Therefore the argued features where read upon the cited references or are written broad enough that they read upon the cited references as follows.

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1- 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hwang et al. US 6414943 in view of Rydnell et al. US 6519469.

Regarding claim 1, Hwang discloses a mobile station (col. 3, lines 51-52 - a mobile station). Hwang discloses a transmit buffer for storing data about a plurality of communication services on a communication-service-by-communication-service basis or on a transmit-channel-by- transmit-channel (col. 3, lines 51-52 – where the mobile station 1 includes a transmit buffer 1b for temporarily storing transmit data according to the requested radio data service). Hwang discloses an amount-of-data information determining means for examining the data which are stored in said transmit buffer on a

Art Unit: 2617

communication-service-by-communication-service basis or on a transmit-channel-by-transmit-channel so as to determine communication-service-by-communication-service or transmit-channel-by-transmit-channel amount-of-data information (col. 3, lines 51-58 where the transmit buffer is examined) and a transmitting means for transmitting the communication-service-by-communication-service or transmit-channel-by-transmit-channel amount-of-data information determined by said amount-of-data information determining means to a base station (see Fig. 1 and col. 3, lines 52-58 where a transmitter transmits the amount-of-data to the radio service (Base Station)).

Hwang is silent on disclosing means for monitoring the data which are stored in said transmit buffer. However, Rydnell teaches monitoring the data which are stored in said transmit buffer (col. 5, lines 57 – col. 6, line2 where the downlink data is monitored).

Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to modify the inventions of Hwang and add that of Rydnell. The motivation would be to allow the mobile telephone to quickly establish an uplink and downlink Medium Access Control transaction (col. 1, lines 11-15).

Regarding claim 2, Hwang discloses wherein said amount-of-data information determining means converts the communication-service-by-communication-service or transmit-channel-by-transmit-channel amount-of-data information into a binary digit number, and outputs the amount-of-data

Page 6

information indicating the binary digit number to the transmitting means (see Fig. 1, where the data is digitally transmitted therefore binary).

Regarding claim 3, Hwang discloses wherein said amount-of-data information determining means converts the communication-service-by-communication-service or transmit-channel-by-transmit-channel amount-of-data information into a data occupation ratio of the transmit buffer, and outputs the amount-of-data information indicating the data occupation ratio to the transmitting means.

Regarding claim 4, Hwang discloses wherein said amount-of-data information determining means converts the communication-service-by-communication-service or transmit-channel-by-transmit-channel amount-of-data information into a time, and outputs the amount-of-data information indicating the time to the transmitting means (col. 4, lines 46-col. 5, lines 6).

Regarding claim 5, Hwang discloses wherein said amount-of-data information determining means converts the communication-service-by-communication-service or transmit-channel-by-transmit-channel amount-of-data information into a transmission rate, and outputs the amount-of-data information indicating the transmission rate to the transmitting means (**col. 1**, **lines 51-56**).

Application/Control Number: 10/589,974

Art Unit: 2617

Regarding claim 6, Hwang discloses wherein said amount-of-data information determining means converts the communication-service-by-communication-service or transmit-channel-by-transmit-channel amount-of-data information into a number of bits per second or a number of bits per unit time (col. 1, lines 51-56 – data rate i.e. bits per second).

Page 7

Regarding claim 7, Hwang discloses wherein said amount-of-data information determining means converts the communication-service-by-communication-service or transmit-channel-by-transmit-channel amount-of-data information into a channel amplitude coefficient or a channel amplitude coefficient ratio, and outputs the amount-of-data information indicating the channel amplitude coefficient or the channel amplitude coefficient ratio to the transmitting means (col. 4, lines 25-37).

Regarding claim 8, Hwang discloses wherein said amount-of-data information determining means converts the communication-service-by-communication-service or transmit-channel-by-transmit-channel amount-of-data information into a power dimension or a power dimension ratio, and outputs the

Art Unit: 2617

amount-of-data information indicating the power dimension or the power dimension ratio to the transmitting means (abstract).

Regarding claim 9, the combination of above discloses wherein said amount-of-data information determining means outputs an index indicating a combination of pieces of communication-service-by-communication-service or transmit- channel-by-transmit-channel amount-of-data information to the transmitting means, instead of the communication-service-by-communication-service or transmit-channel-by-transmit- channel amount-of-data information (see above).

Regarding claim 10, Hwang discloses a base station comprising a receiving means for receiving communication-service-by-communication-service or transmit-channel-by-transmit-channel amount-of-data information from a mobile station (Fig. 1 and col. 3, lines 59-65 - where the network / BTS receives a transmit data). Hwang discloses an assignment examining means for examining assignment of radio resources for data to be transmitted from said mobile station according to the communication-service-by-communication-service or transmit-channel-by-transmit-channel amount-of-data information received by said receiving means (col. 3, lines 59-65 where the transmit

buffer which is to be transmitted from the mobile station is examined) and a notifying means for notifying transmission control information indicating the assignment of radio resources determined by said assignment determining means to said mobile station (Fig. 1 and lines 45-65).

Page 9

Hwang is silent on disclosing determining assignment of radio resources for data. However, Rydnell teaches determining assignment of radio resources (col. 5, lines 24-33 and claim 4, where the said resource assigns at least one time slot).

Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to modify the inventions of Hwang and add that of Rydnell. The motivation would be to allow the mobile telephone to quickly establish an uplink and downlink Medium Access Control transaction (col. 1, lines 11-15).

Regarding claim 11, Hwang discloses a communication system provided with a base station which notifies transmission control information <u>indicating radio</u> <u>resources</u>, and a mobile station which transmits data to said base station according to the transmission control information notified from said base station (col. 4 lines 24-31 where the <u>mobile station</u> 1 sends the data corresponding to the radio packet data service or control signals, temporarily stored in the <u>transmit buffer</u> 1b, to the network 2 with the plural radio bearers at the data rate). Hwang discloses the said mobile station comprising includes: a transmit

Art Unit: 2617

buffer for storing data about a plurality of communication services on a communication-service-by-communication-service basis or on a transmitchannel-by- transmit-channel basis (col. 3, lines 51-52 – where the mobile station 1 includes a transmit buffer 1b for temporarily storing transmit data according to the requested radio data service). Hwang discloses an amountof-data information determining means for examining the data which are stored in said transmit buffer on a communication-service-by-communication-service basis or on a transmit-channel-by-transmit-channel basis so as to determine communication-service- by-communication-service or transmit-channel-bytransmit-channel amount-of-data information (col. 3, lines 51-58 where the transmit buffer is examined) and a transmitting means for transmitting the communication-service-by-communication-service or transmit-channel-bytransmit-channel amount-of-data information determined by said amount-of-data information determining means to said base station (Fig. 1, a transmitting means that transmits and col. 4, lines 24-32 where the transmitter transmits to the network 2 the data corresponding to the radio packet data service or control signals). Hwang discloses where the said base station comprising: a scheduler for assigning radio resources used for carrying out data transmission to said mobile station according to the amount-of-data information received from said mobile station (col. 4, lines 38-62).

Hwang is silent on disclosing means for monitoring the data which are stored in said transmit buffer. However, Rydnell teaches monitoring the data

Art Unit: 2617

which are stored in said transmit buffer (col. 5, lines 57 – col. 6, line 2 where the downlink data is monitored).

Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to modify the inventions of Hwang and add that of Rydnell. The motivation would be to allow the mobile telephone to quickly establish an uplink and downlink Medium Access Control transaction (col. 1, lines 11-15).

Regarding claim 12, Hwang discloses an amount-of-data information transmission method (abstract- **method and apparatus for controlling** asymmetric dynamic radio bearers in a mobile packet data **communications system**). Hwang discloses examining data which are transmitted from a terminal on a communication-service-by-communicationservice basis or on a transmit-channel-by-transmit-channel basis (col. 3, lines **51-58 where the transmit buffer is examined**). Hwang discloses determining amount-of-data information indicating an amount of data on a communicationservice-by-communication-service basis or on a transmit-channel-by- transmitchannel basis (col. 5, lines 56-63 where the amounts of data stored in the transmit buffers is determined) and transmitting the amount-of-data information which is determined on a communication-service-by-communicationservice basis or on a transmit-channel-by-transmit-channel basis to a base station (see Fig. 1 and col. 3, lines 52-58 where a transmitter transmits the amount-of-data to the radio service (Base Station)).

Art Unit: 2617

Hwang is silent on disclosing monitoring the data which are transmitted. However, Rydnell teaches monitoring the data which are transmitted (col. 5, lines 57 – col. 6, line2 where the downlink data is monitored).

Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to modify the inventions of Hwang and add that of Rydnell. The motivation would be to allow the mobile telephone to quickly establish an uplink and downlink Medium Access Control transaction (col. 1, lines 11-15).

Regarding claim 14, Hwang discloses a wireless communication method (see abstract, mobile packet data communications system). Hwang discloses when data about a plurality of communication services are stored in transmit buffers on a communication-service-by-communication-service basis or on a transmit-channel-by- transmit-channel basis, examining the data which are stored in the transmit buffers on a communication-service-by-communication-service basis or on a transmit-channel-by- transmit-channel basis (col. 3, lines 51-58 where the transmit buffer is examined). Hwang discloses determining amount-of-data information indicating an amount of data on a communication-service-by-communication-service basis or on a transmit-channel-by- transmit-channel basis (col. 5, lines56-64 the amounts of data stored in the transmit buffers is determined). Hwang discloses transmitting the amount-of-data information which is determined on a communication-service-by-communication-service basis or on a transmit-channel-by-transmit-channel basis to a base

Art Unit: 2617

station (see Fig. 1 and col. 3, lines 52-58 where a transmitter transmits the amount-of-data to the radio service (Base Station)). Hwang discloses when the base station receives the amount-of-data information which is determined on a communication-service-by-communication-service basis or on a transmitchannel-by- transmit-channel basis from a mobile station, determining radio resources for data to be transmitted from said mobile station according to the amount-of-data information (col. 4, lines 24-31 where the base station receives amount-of-data information and col. 4, lines 38-56 where the amount of data is compared therefore determining radio resources for data to be transmitted). Hwang discloses notifying transmission control information indicating the radio resources to said mobile station (col. 1, lines 49-52 where the network informs the mobile station of the data) and said mobile station transmitting the data to said base station according to the transmission control information notified from said base station (col. 3, lines 52-58 where a transmitter transmits the amount-of-data to the radio service (Base Station)).

Hwang is silent on disclosing means for monitoring the data which are stored in said transmit buffer. However, Rydnell teaches monitoring the data which are stored in said transmit buffer (col. 5, lines 57 – col. 6, line2 where the downlink data is monitored).

Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to modify the inventions of Hwang and add that of Rydnell.

Art Unit: 2617

The motivation would be to allow the mobile telephone to quickly establish an uplink and downlink Medium Access Control transaction (col. 1, lines 11-15).

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4. Claim 13 is rejected under 35 U.S.C. 102(b) as being unpatentable by Hwang et a. US 6414943.

Regarding claim 13, Hwang discloses a transmission-control-information notification method (col. 4 lines 24-31 where the mobile station 1 sends the data corresponding to the radio packet data service or control signals). Hwang discloses when a base station receives amount-of-data information which is determined on a communication-service-by-communication-service basis or on a transmit-channel-by- transmit-channel basis from a mobile station, determining radio resources for data to be transmitted from said mobile station according to the amount-of-data information (col. 4, lines 24-31 where the base station receives amount-of-data information and col. 4, lines 38-56 where the

Art Unit: 2617

to be transmitted) and notifying transmission control information indicating the radio resources to said mobile station (col. 1, lines 49-52 where the network informs the mobile station of the data).

Conclusion

1. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

2. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Amanuel Lebassi, whose telephone number is (571)

AIL UIIIL. 2017

270-5303. The Examiner can normally be reached on Monday-Thursday from 8:00am to 5:00pm.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Nick Corsaro can be reached at (571) 272-7876. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free) or 703-305-3028.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-2600.

Amanuel Lebassi

/A. L./

1/5/2010

/NICK CORSARO/

Supervisory Patent Examiner, Art Unit 2617

Application/Control Number: 10/589,974

Page 17

Art Unit: 2617